



George White & Co Pty Ltd - Catalogue

Australia's Leading Stockist of Non-Ferrous Metals

Copper Flat Bars - ALL STOCK: AS1567-1997

Plain & Tinned Flats:

C11000 - ETP Copper
C10200 - Oxygen Free Copper



Continued...

Continued...

Width (mm)	Thickness (mm)	Kg/Metre	Tinned	Type
12.70	3.18	0.36	*	SQE
19.05	3.18	0.54	✓	F/R & SQE
25.40	3.18	0.70	✓	F/R & SQE
31.75	3.18	0.89	*	SQE
38.10	3.18	1.07	✓	SQE
50.80	3.18	1.44	*	SQE
63.50	3.18	1.81	*	SQE
76.20	3.18	2.17	*	SQE
40.00	4.00	1.43	✓	F/R & R/C
50.00	4.00	1.76	✓	R/C
19.05	4.76	0.81	*	SQE
25.40	4.76	1.08	*	SQE
31.75	4.76	1.35	*	SQE
38.10	4.76	1.62	*	F/R & SQE
50.80	4.76	2.16	*	SQE
76.20	4.76	3.24	*	SQE
20.00	6.30	1.13	✓	F/R
25.00	6.30	1.41	✓	F/R
31.50	6.30	1.77	✓	F/R
40.00	6.30	2.25	✓	F/R
50.00	6.30	2.82	✓	F/R
63.00	6.30	3.55	✓	F/R
80.00	6.30	4.51	✓	F/R
100.00	6.30	5.63	✓	F/R
125.00	6.30	7.04	✓	F/R
160.00	6.30	9.01	✓	F/R
50.80	6.35	2.88	*	SQE
63.50	6.35	3.6	*	SQE
76.20	6.35	4.33	*	SQE
101.60	6.35	5.77	*	SQE
152.40	6.35	8.66	*	SQE
12.70	6.35	0.72	*	SQE
19.05	6.35	1.08	*	SQE
25.40	6.35	1.44	*	SQE
31.75	6.35	1.8	*	SQE
38.10	6.35	2.16	*	SQE
50.80	6.35	2.88	*	SQE
63.50	6.35	3.6	*	SQE
76.20	6.35	4.33	*	SQE
101.60	6.35	5.77	*	SQE
152.40	6.35	8.66	*	SQE

Width (mm)	Thickness (mm)	Kg/Metre	Tinned	Type
20.00	10.00	1.70	✓	R/C
25.00	10.00	2.24	✓	R/C
30.00	10.00	2.68	✓	R/C
40.00	10.00	3.58	✓	R/C
50.00	10.00	4.47	✓	R/C
60.00	10.00	5.36	✓	R/C
80.00	10.00	7.15	✓	R/C
100.00	10.00	8.94	✓	R/C
120.00	10.00	10.72	✓	R/C
125.00	10.00	11.25	✓	R/C
160.00	10.00	14.29	✓	R/C
25.40	12.70	2.88	*	SQE
38.10	12.70	4.33	*	SQE
50.80	12.70	5.77	*	SQE
76.20	12.70	8.65	*	SQE
101.60	12.70	11.54	*	SQE
152.40	12.70	17.3	*	SQE
38.10	19.05	6.49	*	SQE
50.80	19.05	8.65	*	SQE
76.20	19.05	12.98	*	SQE
101.60	19.05	17.3	*	SQE
50.80	25.40	11.54	*	SQE
76.20	25.40	17.3	*	SQE
101.60	25.40	23.07	*	SQE
152.40	25.40	34.61	*	SQE
76.20	38.10	25.96	*	SQE

- All Stock is 4.0 Metre Lengths.
- Tinning is available for ALL items - P.O.A
- Cut Pieces of Material is available - P.O.A

- Please enquire for sizes not listed
- MOQ for Non-Standard Material - 150kg
- Lead Times do apply to Non-Stocked sizes
- Different Alloys are available.

Radius Corner

Full Radius

Square Edge

✓ - Tinned Material stocked	Legend: SQE - Square Edge
* - Material not stocked - P.O.A	F/R - Full Radius
	R/C - Radius Corner

Note: Weights are theoretical only.



George White & Co Pty Ltd - Catalogue

Australia's Leading Stockist of Non-Ferrous Metals

Copper Flat Bars - Bus Bar Stocks: AS1567-1997



TINNED & PLAIN SIZE LISTINGS

Radius Corner and Full Radius:

C11000 - ETP Copper

C10200 - Oxygen Free Copper

Radius Corner Sizes:

Radius Corner

Width (mm)	Thickness (mm)	Kg/Metre	Tinned Stock	Plain
50.00	4.00	1.76	×	✓
20.00	10.00	1.70	✓	✓
25.00	10.00	2.24	✓	✓
30.00	10.00	2.68	✓	✓
40.00	10.00	3.58	✓	✓
50.00	10.00	4.47	✓	✓
60.00	10.00	5.36	✓	✓
80.00	10.00	7.15	✓	✓
100.00	10.00	8.94	✓	✓
120.00	10.00	10.72	✓	✓
125.00	10.00	11.25	✓	✓
160.00	10.00	14.29	✓	✓
200.00	10.00		✓	✓

Full Radius Sizes:

Full Radius

Width (mm)	Thickness (mm)	Kg/Metre	Tinned Stock	Plain
19.05	3.18	0.54	✓	✓
25.40	3.18	0.72	✓	✓
40.00	4.00	1.43	✓	✓
50.00	4.00	1.76	✓	✓
38.10	4.76	1.62	✓	✓
20.00	6.30	1.13	✓	✓
25.00	6.30	1.41	✓	✓
31.50	6.30	1.77	✓	✓
40.00	6.30	2.25	✓	✓
50.00	6.30	2.82	✓	✓
63.00	6.30	3.55	✓	✓
80.00	6.30	4.51	✓	✓
100.00	6.30	5.63	✓	✓
125.00	6.30	7.04	✓	✓
160.00	6.30	9.01	✓	✓

- All Stock is 4.0 Metre Lengths.
- Tinning is available for ALL items - P.O.A
- Cut Pieces of Material is available - P.O.A

- Please enquire for sizes not listed
- MOQ for Non-Standard Material - 150kg
- Lead Times do apply to Non-Stocked sizes
- Different Alloys are available.

✓ - Tinned Material stocked
 × - Material not stocked - P.O.A

If a size is not listed on here, please check out our Full Stock List or the Copper Busbar Listing!

Note: Weights are theoretical only.



George White & Co Pty Ltd - Catalogue

Australia's Leading Stockist of Non-Ferrous Metals

Copper Flat Bars: AS1567-1997

Sqaure Edge Flat:

Sqaure Edge

C11000 - ETP Copper

C10200 - Oxygen Free Copper



Width (mm)	Thickness (mm)	Kg/ Metre	Tinned
12.70	3.18	0.36	*
19.05	3.18	0.53	✓
25.40	3.18	0.70	✓
31.75	3.18	0.89	*
38.10	3.18	1.07	✓
50.80	3.18	1.44	*
63.50	3.18	1.81	*
76.20	3.18	2.17	*
19.05	4.76	0.81	✓
25.40	4.76	1.08	✓
31.75	4.76	1.35	*
38.10	4.76	1.62	*
50.80	4.76	2.16	*
76.20	4.76	3.24	*
12.70	6.35	0.72	*
19.05	6.35	1.08	*
25.40	6.35	1.44	✓
31.75	6.35	1.80	✓
38.10	6.35	2.16	✓
50.80	6.35	2.88	✓
63.50	6.35	3.60	✓
76.20	6.35	4.33	✓
101.60	6.35	5.77	✓
152.40	6.35	8.66	✓
25.40	12.70	2.88	✓
38.10	12.70	4.33	✓
50.80	12.70	5.77	✓
76.20	12.70	8.65	✓
101.60	12.70	11.54	✓
152.40	12.70	17.3	✓
38.10	19.05	6.49	✓
50.80	19.05	8.65	✓
76.20	19.05	12.98	✓
101.60	19.05	17.3	✓
50.80	25.40	11.54	✓
76.20	25.40	17.3	✓
101.60	25.40	23.07	✓
152.40	25.40	34.61	✓
76.20	38.10	25.96	✓

- All Stock is 4.0 Metre Lengths.
- Tinning is available for ALL items - P.O.A
- Cut Pieces of Material is available - P.O.A

- Please enquire for sizes not listed
- MOQ for Non-Standard Material - 150kg
- Lead Times do apply to Non-Stocked sizes
- Different Alloys are available.

✓ - Tinned Material stocked
 * - Material not stocked - P.O.A

If a size is not listed on here, please check out our Full Stock List or the Copper Busbar Listing!

Note: Weights are theoretical only.